



1300 CAVITY WAX PROTECTION



Product Description:

- Wax based coating.
- Easily penetration into hard accessed points.
- Fast drying while remaining elastic
- Excellent protection against moisture.

EN 1300 CAVITY WAX PROTECTION

Product Application:



Shake well before use
2-3min



Close tin after use



Underseal Spray gun
Nozzle: 4 – 5mm
Pressure: 5-6 bar



Use protective equipment



or
Application with brush



Product application should be done in
accordance to this
Technical Data Sheet



Drying time
40min / 22-25°C

EN 1300 CAVITY WAX PROTECTION

Flash Point:

-26°C / -15 °F

Specific Gravity:

0,81 g/cm³

Solid Content (No thinner):

35%

VOC (2004/42/EC)

2004/42/II B(e)(840)535

The EU limit value for this product category in ready for use form is max 840 g/l of VOC. The VOC value of this product in ready for use form is max. 535 g/l.

Theoretical Coverage: -

Cleaning of equipment:

Clean after use with EN 7100 SOLVENT NORMAL
EN 7700 NITRO THINNER

Remarks:

- Apply the product after the paint
- Allow additional time for preheating up to panel temperature
- It can be used by countries that do not adopt the VOC legislation as well.
- Store in a cool place.
Shelf life of 24 months in sealed containers.

For professional use only. The information provided on this sheet has been carefully selected through a series of laboratory researches. It is based upon our best knowledge at the time of issue. This data is only for information purposes. We are not liable for its correctness, accuracy and completeness. It is up to the user to check for updates or further information if needed for his purpose. The intellectual property of the product, trademarks and copyrights is protected. All rights reserved. The relevant Material Safety Data Sheet and warnings displayed on the label must be read carefully. We may modify and / or discontinue operation of all or portions of this information at any time in our sole discretion, without any notice and assume no responsibility to update the information. All rules set forth in this clause shall apply accordingly for any future changes and amendments.

Version 1, Dec 2011.